

Declaration concerning food contact (FDA)

Röchling Sustaplast SE & Co. KG
D-56112 Lahnstein
Tel. + 49 2621 693-0
Fax + 49 2621 693-170
www.roechling.com
info@sustaplast.de

Product: **SustaPEEK natural**

We hereby declare that our semi-finished products, produced of the above-mentioned material comply with the requirements of the FDA-regulation **21 CFR, part 177, paragraph 2415** concerning their chemical composition, as well as further specific FDA-regulations for incorporated additives.

The quality assurance system of Röchling Sustaplast SE & Co. KG is certified as per DIN EN ISO 9001:2015 and serves as an important basis of the constant composition and quality of SustaPEEK natural.

The **Food and Drug Administration (FDA)** is an [agency](#) of the [United States Department of Health and Human Services](#), one of the [United States federal executive departments](#).

This document has been printed automatically and is valid without any signature.

Note:

It is customers own responsibility to test the suitability of plastic items manufactured from or with our products for the planned application in the foodstuff industry. That includes for example:

- testing, if the physical characteristics of the plastic are suitable for the planned application,
- testing, if plastic parts manufactured by the customer fulfill the prescribed migration or extraction values,
- testing for possible influence of the plastic on the composition and/or organoleptic characteristics of foodstuffs.

This information above is based on the information provided by our suppliers. We are not liable for completeness and correctness of information contained herein. Existing laws and regulations must be respected by the receivers/users of our product in their own responsibility

This declaration is reevaluated in case of modifications of directives and laws, raw materials, formula, manufacturing procedures or other. In case of modification, new declarations are published on our website www.roechling.com, earlier declarations become invalid in that case.